SMKV 21

Cable gland hexagonal, brass nickel-plated, Pg 21, with short thread



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

RoHS

Material cable gland	Brass nickel-plated
Material sealing gasket	Soft rubber
Temp. range min	-40 °C
Temp. range max	70 °C
Protection class	IP54
Thread type	PG
Ø Connection thread D	21
Length screw-in thread L	7 mm
Ø cable diameter min	9 mm
Ø cable diameter max	20 mm
Key width SW1	28 mm
Key width SW2	30 mm
Collar diameter E1	31 mm
Collar diameter E2	33 mm
Total length TL	30 mm
Impact category	6
Surface	Nickel-plated
Order no. nickel-plated	10062086
Packing unit	50
Type	SMKV 21
Tariff number	74198090
EAN number	4007685620864
ETIM-Classification	EC000441

Your Contact:
WISKA America SRL
Mr. Alexander Bauer · Cervantes 911 c/Venezuela · Asunción · Paraguay
☎ +595-992-921719 · 🖷 +49-4191-508-129
a.bauer@wiska.de · www.wiska.lat

Other technical data on request / subject to change without notice

Recommended accessories

MMU 21	10062146

18.04.2024

Your Contact:
WISKA America SRL
Mr. Alexander Bauer · Cervantes 911 c/Venezuela · Asunción · Paraguay
☎ +595-992-921719 · 🖷 +49-4191-508-129
a.bauer@wiska.de · www.wiska.lat

Other technical data on request / subject to change without notice



Your Contact:
WISKA America SRL
Mr. Alexander Bauer · Cervantes 911 c/Venezuela · Asunción · Paraguay
☎ +595-992-921719 · 🖷 +49-4191-508-129
a.bauer@wiska.de · www.wiska.lat

Other technical data on request / subject to change without notice