

## VMSKV-B 25-13



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                       |                                  |
|---------------------------------------|----------------------------------|
| <b>Material cable gland</b>           | Brass lead-free chromium-plat.   |
| <b>Material sealing gasket</b>        | EPDM                             |
| <b>Material earthing insert</b>       | brass lead-free chromium plat.   |
| <b>Temp. range min</b>                | -40 °C                           |
| <b>Temp. range max</b>                | 100 °C                           |
| <b>Protection class</b>               | IP66 / IP68 (5 bar 30 min), IP69 |
| <b>Thread type</b>                    | M                                |
| <b>Ø Connection thread D</b>          | 25                               |
| <b>Lead</b>                           | 1,5                              |
| <b>Length screw-in thread L</b>       | 11 mm                            |
| <b>Ø cable diameter min</b>           | 9 mm                             |
| <b>Ø cable diameter max</b>           | 21 mm                            |
| <b>Ø cable below cable shield max</b> | 13 mm                            |
| <b>Key width SW1</b>                  | 33 mm                            |
| <b>Key width SW2</b>                  | 33 mm                            |
| <b>Collar diameter E1</b>             | 36 mm                            |
| <b>Collar diameter E2</b>             | 36 mm                            |
| <b>Total length TL</b>                | 54 mm - 68 mm                    |
| <b>Type of cable anchorage</b>        | A                                |
| <b>Install. torques fitting</b>       | 20 N m                           |
| <b>Install. torques cap nut</b>       | 20 N m                           |
| <b>Impact category</b>                | 6                                |
| <b>Surface</b>                        | Chromium-plated                  |
| <b>WISKA-Order no.</b>                | 10114083                         |
| <b>Type</b>                           | VMSKV-B 25-13                    |

Your Contact:

WISKA America SRL

Mr. Alexander Bauer · Cervantes 911 c/Venezuela · Asunción · Paraguay

☎ +595-992-921719 · 📠 +49-4191-508-129

a.bauer@wiska.de · www.wiska.lat

|                        |                        |
|------------------------|------------------------|
| Packing unit           | 5                      |
| Tariff number          | 85369010               |
| EAN number             | 4007686326512          |
| ETIM-Classification    | EC000441               |
| VG Registration number | E71E330/26002          |
| VG Labeling            | VG88846-4-A013-13-B-LF |

28.08.2026

Your Contact:


**WISKA America SRL**

Mr. Alexander Bauer · Cervantes 911 c/Venezuela · Asunción · Paraguay

☎ +595-992-921719 · 📠 +49-4191-508-129

a.bauer@wiska.de · [www.wiska.lat](http://www.wiska.lat)

Other technical data on request / subject to change without notice



Your Contact:

**WISKA America SRL**

Mr. Alexander Bauer · Cervantes 911 c/Venezuela · Asunción · Paraguay

☎ +595-992-921719 · 📠 +49-4191-508-129

a.bauer@wiska.de · www.wiska.lat